

# Molecular and Cellular Biochemistry:

An International Journal for Chemical Biology in Health and Disease

CONTENTS VOLUME 214, Nos. 1 & 2, November 2000

|  |         |
|--|---------|
| T. Murata, Y. Niimi and N. Kaneda: Characterization of the 5'-flanking region of the rat TIS11 gene  | 1-6     |
| T. Duda, P. Yadav, A. Jankowska, V. Venkataraman and R.K. Sharma: Three dimensional atomic model and experimental validation for the ATP-Regulated Module (ARM) of the atrial natriuretic factor receptor guanylate cyclase                | 7-14    |
| C. Bhuvaneswaran and M.D. Morris: Lysosome lipid storage disorder in NCTR-BALB/c mice: Spleen and lung lysosomes store unesterified cholesterol but differ in their phospholipid composition   | 15-22   |
| L. Jingjing, B. Srinivasan, X. Bian, H.F. Downey and R.S. Roque: Vascular endothelial growth factor is increased following coronary artery occlusion in the dog heart  | 23-30   |
| A. Sharma and M. Singh: Effect of ethylisopropyl amiloride, a Na <sup>+</sup> -H <sup>+</sup> exchange inhibitor, on cardioprotective effect of ischaemic and angiotensin preconditioning  | 31-38   |
| K. Matsumura, S. Komori, M. Takusagawa, M. Osada, F. Tunabe, M. Itoh and K. Tamura: Protein kinase C is involved in cardioprotective effects of ischemic preconditioning on infarct size and ventricular arrhythmia in rats <i>in vivo</i> | 39-45   |
| C. Kositprapa, B. Zhang, S. Berger, J.M. Carty Jr and T.-C. Lee: Calpain-mediated proteolytic cleavage of troponin I induced by hypoxia or metabolic inhibition in cultured neonatal cardiomyocytes  | 47-55   |
| J. Górski, M. Zendzian-Piotrowska, C. Wolfrum, A. Nawrocki and F. Spener: Effect of sex and bezafibrate on incorporation of blood borne palmitate into lipids of rat liver nuclei  | 57-62   |
| H.M. Brereton, M.L. Harland, A.M. Auld and G.J. Barratt: Evidence that the TRP-1 protein is unlikely to account for store-operated Ca <sup>2+</sup> inflow in <i>Xenopus laevis</i> oocytes  | 63-74   |
| J. Feng, R. Chahine and R. Nadeau: Influence of extracellular potassium on the antiarrhythmic effect of global preconditioning in isolated perfused rat hearts   | 75-80   |
| Y. Mhaskar, G. Armour and G. Dunaway: Alteration of the levels of the M-type 6-phosphofructo-1-kinase mRNA isoforms during neonatal maturation of heart, brain and muscle  | 81-87   |
| P. Gruarin, D. Ulliers, R.F. Thorne and M. Alessio: Methionine 156 in the immunodominant domain of CD36 contributes to define the epitope recognized by the NL07 MoAb  | 89-95   |
| M. Yamaguchi and E. Sugimoto: Stimulatory effect of genistein and daidzein on protein synthesis in osteoblastic MC3T3-E1 cells: Activation of aminoacyl-tRNA synthetase  | 97-102  |
| R.M. Donev: The type of DNA attachment sites recovered from nuclear matrix depends on isolation procedure used   | 103-110 |
| C.D. McWhinney, C. Hansen and J.D. Robishaw: Alpha-1 adrenergic signaling in a cardiac murine atrial myocyte (HL-1) cell line  | 111-119 |
| W.-N. Kuo, J.M. Krahling, V.P. Shanbhag, P.P. Shanbhag and M. Mewar: Protein nitration   | 121-129 |
| <i>Review</i>  |         |
| X. Wang and N.S. Dhalla: Modification of β-adrenoceptor signal transduction pathway by genetic manipulation and heart failure  | 131-155 |
| Index to Volume 214  | 157-158 |
| Instructions to Authors  | 159-163 |

